

6.2.2 – Passing parameters via URL (Connection String)

URL components

📌 Important

Please use "on" and "off" for Boolean value if you are using URL to pass parameters.

Basically, a RDP connection string consists of the following main components:

```
[protocol]://[domain]/rdpdirect.html?[parameters]
```

The parameters are the same as the parameters that can be set in servers.json for each target system. Please note the correct URL encoding (see below)! Link parameters with the ampersand (&). A parameters list can be [found here](#).

Some example parameters can be:

```
&keyboard=1031
&fullBrowser=Full%20browser
&fullScreen=Full%20screen
&server_bpp=16
&timezone=W.%20Europe%20Standard%20Time
&playSound=0
&soundPref=0
&mapClipboard=on
&mapPrinter=on
&mapDisk=on
&startProgram=noapp
&smoothfont=on
```

The correct URL encoding:

If characters are to be transmitted as values that have special meaning in the context of a URL, they must be encoded.

Example: `name=SparkView Server` becomes `name=SparkView%20Server`.

For correct encoding, an online tool can also be applied for help:

<https://meyerweb.com/eric/tools/dencoder/>.

Example connection string:

A minimal connection string can look like this:

```
https://mygateway.com/rdpdirect.html?server=192.168.12.55&port=3389&gateway=mygateway.com
```

Connecting to desktop

```
var parameters = "server=192.168.0.2&user=admin&pwd=" + encodeURIComponent("&=@#");  
//use encodeURIComponent to escape special characters in value  
var width = 800, height = 600, server_bpp = 16;  
var r = new svGlobal.Rdp("http://" + gateway + "/RDP?" + parameters, width, height,  
server_bpp);  
r.addSurface(new svGlobal.LocalInterface());  
r.run();
```

Connecting to RemoteApp in current window

You only need to add some extra parameters:

```
parameters += encodeURIComponent("startProgram=app&exe=|EXCEL");
```

Connecting to RemoteApp in a new window

```
var parameters = "server=192.168.0.2&user=admin&pwd=" + encodeURIComponent("&=@#");  
//use encodeURIComponent to escape special characters in value  
parameters += encodeURIComponent("startProgram=app&exe=|EXCEL");  
var width = 800, height = 600, server_bpp = 16;  
var r = svManager.getInstance(); //try use the existed session.  
if (r == null){  
    r = new svGlobal.Rdp(protocol + gw + "/RDP?" + s, width, height, server_bpp);  
}  
var rail = window.open("rail.html");
```

```
function onSurfaceReady(surface){  
    r.addSurface(surface);  
    r.startApp(frmConn["exe"].value, frmConn["args"].value, "");  
};  
rail.svOnSurfaceReady = onSurfaceReady;  
r.run();
```

Revision #11

Created 5 April 2022 15:28:06 by Julian

Updated 6 March 2024 14:48:44 by Julian